

## To Frag Or To Be Fraggd *An Empirical Assessment of Latency in Cloud Gaming*

Ulrich Lampe<sup>1</sup>, Qiong Wu<sup>1</sup>, Ronny Hans<sup>1</sup>, André Miede<sup>2</sup> and Ralf Steinmetz<sup>1</sup>

<sup>1</sup>Multimedia Communications Lab (KOM), TU Darmstadt, Rundeturmstr. 10, 64283 Darmstadt, Germany

<sup>2</sup>Fakultät für Ingenieurwissenschaften, HTW des Saarlandes, Goebenstr. 40, 66117 Saarbrücken, Germany  
ulrich.lampe@kom.tu-darmstadt.de

Keywords: cloud computing; cloud gaming; quality of service; latency; measurement

Abstract: With the emergence of cloud computing, diverse types of Information Technology services are increasingly provisioned through large data centers via the Internet. A relatively novel service category is cloud gaming, where video games are executed in the cloud and delivered to a client as audio/video stream. While cloud gaming substantially reduces the demand of computational power on the client side, thus enabling the use of thin clients, it may also affect the Quality of Service through the introduction of network latencies. In this work, we quantitatively examine this effect, using a self-developed measurement tool and a set of actual cloud gaming providers. For the two providers and three games in our experiment, we find absolute increases in latency between approximately 40 ms and 150 ms, or between 85% and 800% in relative terms.

### 1 INTRODUCTION

Since its popularization in the mid-2000s, cloud computing has substantially altered the way in which Information Technology (IT) services are delivered and brought massive changes to the IT sector [Dikaikakos et al., 2009]. Today, the decade-old vision of delivering IT as a “utility” has come closer to realization than ever before [Buyya et al., 2009].

A relatively novel business model, within the greater context of cloud computing, is *cloud gaming*. The principal idea of this concept is to execute video games in a cloud data center and deliver them to a client as audio/video stream via the Internet. The client thus serves as a simple playback and input device; the computationally complex task of executing the actual game logic and rendering the game images is shifted to the cloud [Choy et al., 2012, Jarschel et al., 2011, Ross, 2009, Süselbeck et al., 2009].

From a formal standpoint, based on the popular NIST definition of cloud computing [Mell and Grance, 2011], cloud gaming can most intuitively be interpreted as a subclass of the *Software as a Service* model, because it constitutes a functionally complex service that is offered on the basis of low-level infrastructure services.

From a customer perspective, one main advantage of cloud gaming exists in the ability to access games at any place and time, independent of any specific de-

vice upon which they are installed [Choy et al., 2012]. Furthermore, hardware expenditures are substantially reduced, because a simplistic thin client is usually sufficient for access [Chen et al., 2011]. In addition, games do not have to be purchased for a fixed (and commonly quite notable) amount of money, but can be leased on a pay-per-use basis. From the provider perspective, one main benefit is the prevention of copyright infringements [Ross, 2009]. In addition, distribution costs may be substantially reduced, because the need for the delivery of physical media is alleviated. Furthermore, the development process may be greatly simplified if games are exclusively developed for the cloud, rather than multiple different platforms.

However, the use of the Internet also introduces a new component into the delivery chain. Being a public network, the Internet lies (partially) out of the control sphere of both the user and the provider, and follows a “best effort” philosophy, i. e., it does not make any end-to-end Quality of Service (QoS) assurances [Courcoubetis et al., 2011]. Hence, limitations of the network infrastructure, such as high latency, small bandwidth, or high packet loss, may potentially affect the QoS of the *overall* cloud gaming system for the user.

In this work, we focus on the QoS parameter of latency. This parameter plays an important role for the overall game experience [Dick et al., 2005, Süselbeck et al., 2009]. As the title of this work indicates, this

applies specifically for action-oriented games such as first-person shooters, where it may determine whether a player is “fraged”, i.e., her/his character is killed, or is able to frag her/his opponent [Claypool and Claypool, 2010, Dick et al., 2005].

Hence, the research question we aim to empirically answer in this work is: “What is the impact of cloud gaming on the QoS parameter of latency, as compared to a local execution of a video game?”

In the following Section 2, we introduce the experimental setup and infrastructure. Subsequently, in Section 3, we extensively present and discuss the results. An overview of related work is given in Section 4. The paper concludes with a summary and outlook in Section 5.

## 2 EXPERIMENTAL DESIGN

In this section, we describe the overall design of our experiment. To begin with, we briefly explain the dependent and independent variables that were considered. Subsequently, we introduce our measurement tool and briefly describe its technical implementation.

### 2.1 Dependent Variable: Latency

As explained in the previous section, in this work, we focus on the QoS parameter of latency. It thus constitutes the only *dependent variable* in our experiments. More specifically, we consider *user-perceived latency*. By that term, we refer to the timespan that elapses between a certain *action* performed by the user, e. g., the press of a mouse button or a key, and the corresponding game *reaction*, e. g., the appearance of gunfire or the menu. It is also referred to as “interactive response time” in related research [Choy et al., 2012].

Based on the combined findings of Choy et al., Wang, and Wilson, latency can be split into the following components if a game is locally executed [Choy et al., 2012, Wang, 2012, Wilson, 2009]:

- *Input lag*, which corresponds to the timespan between two subsequent sampling events of the game controller, e. g., mouse or keyboard.
- *Game pipeline CPU time*, i. e., the time which is required for processing the input and realizing the game logic.
- *Game pipeline GPU time*, i. e., the time which the graphic card requires for rendering the next frame of the game.
- *Frame transmission*, which denotes the time that is required for transferring the frame from the back-

buffer to the frontbuffer of the graphic card, and subsequently to the screen.

- *LCD response time*, which indicates the timespan that is required to actually display the frame on the screen.

Once a game is executed in the cloud and delivered via a network, the following additional components have to be considered [Choy et al., 2012, Wang, 2012, Wilson, 2009]:

- *Upstream data transfer*, i. e., the time that it takes to sent the user input to the cloud gaming provider.
- *Capture and encoding*, which denotes the time requirements for capturing the current frame and encoding it as video stream.
- *Downstream data transfer*, i. e., the timespan for transferring the stream to the client.
- *Decoding*, which indicates the time for converting the video stream back into a frame.

Intuitively, one might reason that a cloud-based game will always exhibit a higher latency than a locally executed game due to the additional latency components. However, this is not necessarily true. In fact, due to the use of potent hardware in the cloud and depending on the geographical distance between the user and the cloud provider, the reduction of time spent in the game pipeline may overcompensate the network, encoding, and decoding latencies [Wang, 2012].

### 2.2 Independent Variables: Games, Providers, and Networks

The dependent variable in our experiments, latency, may potentially be determined by various factors, i. e., a set of *independent variables*. In our work, we focus on different games, cloud gaming providers, and network connections as suspected key determinants.

With respect to the main subject of our research, i. e., the examined games, our focus was on action-oriented titles. As explained in the previous section, these games are commonly very sensitive to latency increases and thus, of elevated interest. We specifically chose the following titles, all of which are available both in the cloud and for local installation:

- *Shadowgrounds*<sup>1</sup> is a 3D first-person shooter game developed by Frozenbyte. It was initially released in the year 2005.
- *Shadowgrounds Survivor*<sup>2</sup> is a sequel to *Shadowgrounds*. It was also developed by Frozenbyte and released in 2007.

<sup>1</sup><http://www.shadowgroundsgame.com/>

<sup>2</sup><http://www.shadowgroundssurvivor.com/>

- *Trine*<sup>3</sup> is an action-oriented puzzle game. It was developed by Frozenbyte as well and released in 2009.

The determination of representative cloud gaming providers is somewhat challenging. Following an initial hype around cloud gaming, which resulted in a variety of new suppliers, the market appears to be in a phase of consolidation today. For example, *Gaikai*, one of the pioneers in cloud gaming, was acquired in August 2012 by the major industry player *Sony* [Gaikai, 2012], and has temporally ceased its services. This work includes measurements for three provisioning options:

- *Cloud Gaming Provider A* (CGP-A), which is located in the Americas and operates a dedicated infrastructure<sup>4</sup>.
- *Cloud Gaming Provider B* (CGP-B), with headquarters in the Asian-Pacific region, which also uses a dedicated infrastructure.
- *A local personal computer* (Local), which is equipped with an Intel Core 2 Quad Q6700 CPU, an NVidia Geforce GTX 560 GPU, and 4 GB of memory.

As it has been explained before, cloud gaming employs the Internet as delivery channel. Because the network as such is out of the control sphere of both provider and user, we focus on the user's network connection in our experiments. Specifically, we regard the following techniques:

- *Universal Mobile Telecommunications System* (UMTS), which marks the third generation (3G) of cellular networks and has been widely deployed in many industrialized countries since the mid-2000s. We use a variant with with the *High Speed Packet Access* (HSPA) extensions.
- *Long Term Evaluation* (LTE), which corresponds to the fourth generation (4G) of cellular networks. It has recently been or is currently being introduced by many mobile network providers.
- *Very High Speed Digital Subscriber Line* (VSDL), which denotes the cutting-edge in traditional fixed-line, copper cable-based Internet access.

### 2.3 Measurement Tool: GALAMETO.KOM

The aim of our approach is to automate the measurement process to the largest possible extent. For that

<sup>3</sup><http://www.trine-thegame.com/>

<sup>4</sup>Unfortunately, due to legal considerations, we are required to anonymize the names of the cloud gaming providers.

matter, we have devised a GAME LATency MEasurement TOol, or in brief, GALAMETO.KOM. This tool autonomously invokes a predefined action in the game and measures the time interval until the corresponding reaction can be observed.

As a preparatory step, the tool requires the user to specify the trigger that invokes a certain action in the game. Such trigger may consist in pressing a mouse button or a key. Furthermore, the user has to specify the screen area that will reflect the corresponding reaction, such as the display of gunfire or the main menu. In order to reliably identify the reaction, the user further declares a numerical sensitivity value  $\delta$ . This sensitivity value reflects the change of the *average color* within the predefined screen area. Lastly, in order to start an experiment, the user specifies the desired number of observations in the sample.

For each measurement iteration, GALAMETO.KOM first invokes the specified trigger. That is, it submits the user-defined activity to the game and stores a timestamp  $t_{act}$ . Then, the tool scans the framebuffer of the graphics card and computes the initial average color value  $c_{init}$  for the predefined screen area. That procedure is continuously repeated, each time updating the current average color  $c_{curr}$  and a corresponding timestamp  $t_{react}$ . Once a change of color, i. e., a reaction with sufficient magnitude, is detected (i. e., if  $|c_{curr} - c_{init}| \geq \delta$  holds), the latency  $t_{lat} = t_{react} - t_{act}$  can be computed. The latency value is stored as new observation, and the process is repeated until a sample of the desired size has been collected.

### 2.4 Measurement Procedure

For our experiment, we followed a so-called *full factorial design*. That is, we conducted measurements for each possible value combination of the three independent variables. Because the local execution of a single-player game is independent of the network connection, there are seven possible combinations of provider and network. For each combination, we examine the three selected games. Thus, our experimental setup consists of 21 different *test cases*.

For each test case, we acquired a sample of 250 observations. Subsequently, we checked for statistically significant differences between the test cases with respect to the mean latencies using a parametric *t*-test [Jain, 1991, Kirk, 2007]. For validation purposes, a non-parametric Mann-Whitney *U*-test was additionally applied [Kirk, 2007]. Both tests were conducted at the same confidence level of 95% (i. e.,  $\alpha = 0.05$ ). The mean latencies of a pair of test cases are only

considered significantly different if the according indication is given by both tests.

All experiments were executed using the previously specified laptop computer in order to avoid measurement inaccuracies due to hardware differences. The different network connections were provided by a major German telecommunications provider. No artificial network disturbances were introduced into the measurement process.

### 3 EXPERIMENTAL RESULTS AND DISCUSSION

The results of our experiment, i. e., observed mean latencies, along with the corresponding confidence intervals, are illustrated in Figures 1, 2, and 3 for the three games respectively. In the appendix, we further provide corresponding box-and-whisker plots (Figures 4 through 6). In addition, Table 1 contains the detailed results that have been the basis for the figures.

As can be seen, a local execution of the games yields the lowest latencies, ranging from 22 ms for Shadowgrounds to 44 ms for Trine. As it may have been expected, the latencies significantly increase with the novelty of the game. Because the remaining latency components can be assumed constant, this indicates a growth of computational complexity within the game pipeline, i. e., the overall increase in latency can likely be traced back to increased CPU and GPU time.

For cloud gaming provider A, we observe mean latencies between approximately 65 ms and 130 ms. The latencies significantly decrease with improved network connectivity. Specifically, with respect to the cellular networks, LTE is able to reduce the mean latency by up to 35 ms compared to UMTS. A fixed-line connection, namely VSDL, yields a further reduction of up to 12 ms. In general, the latency increases diminish compared to a local execution with the novelty of the game. This indicates that the latency of the game pipeline can, in fact, be reduced through the use of dedicated hardware in the cloud data center (cf. Section 2.1). However, the effect does not compensate for the network delay in our test cases. Hence, regardless of the game and network connection, provider A is not able to compete with a local execution in terms of latency. Depending on the network connection, cloud gaming adds between 40 ms and 90 ms of latency for each considered game. These differences are statistically significant at the assumed confidence level of 95%.

For cloud gaming provider B, we find even higher mean latencies between about 150 ms and 220 ms. Once again, there is a significant reduction in these figures with improved network connectivity. Compared

to UMTS, LTE achieves a reduction of up to 29 ms, which very similar to the results for cloud gaming provider A. Likewise, VSDL shaves off between 9 ms and 17 ms in latency in comparison to LTE. In contrast to provider A, we do not find a decreasing latency margin with increasing novelty, i. e., computational complexity, of the game. Thus, provider B is even less capable than provider A of competing with a local execution in terms of latency. Specifically, depending on the game, provider B adds between 100 ms and 150 ms of latency. As for provider A, these increases are statistically significant.

In summary, with respect to the research question from Section 1, we conclude that cloud gaming has a significant and negative impact on the QoS parameter of latency, compared to the local execution of a game. Depending on the provider and network connection, cloud gaming results in an latency increases between 40 ms and 150 ms. In relative terms, the increases amount to between 85% (Trine at CGP-A using VDSL) and 828% (Shadowgrounds at CGP-B using UMTS).

As previously explained, our focus in this work was on QoS, i. e., objective quality figures. Thus, the subjective perception of our results may substantially differ between various player groups. According to Dick et al., the mean tolerable latencies for an unimpaired experience in a multi-player game are in the range between 50 and 100 ms; maximal tolerable latencies are approximately 50 ms higher, i. e., in the order of 100 to 150 ms [Dick et al., 2005]. User studies by Jarschel et al. also indicate that the Quality of Experience (QoE) quickly drops with increasing latency, specifically in fast-paced games such as racing simulations or first-person shooters [Jarschel et al., 2011]. Hence, based on the observed numbers, we believe that cloud gaming is primarily attractive for slow-paced games, as well as casual players who likely have moderate QoS expectations compared to experienced and sophisticated gamers.

Given the reliance on the Internet as delivery medium, cloud gaming would likely profit from a shift away from the best-effort philosophy towards sophisticated QoS mechanisms. The development of such mechanisms has been an active field of research for many years, resulting in proposals such as *Integrated Services* (IntServ) or *Differentiated Services* (DiffServ) [Tanenbaum, 2003]. However, past experience – for example, with the rather sluggish introduction of IPv6 – has shown that many Internet service providers are rather reluctant to make fundamental infrastructure changes unless a pressing need arises. In addition, as the ongoing debate about *net neutrality* shows, the introduction of QoS management techniques on the Internet is not merely a technical issue.




Figure 1: Mean latencies with 95% confidence intervals for the game *Shadowgrounds* per test case (sample size  $n = 250$ ).

For a more comprehensive discussion, we refer the interested reader to Xiao [Xiao, 2008].

Assuming that the Internet itself will remain to follow a best-effort philosophy in the short and medium term, two main options remain for cloud providers to improve the QoS of their systems.

The first option consists in moving the data centers geographically closer to the clients. However, for a constant client base, such decentralization implies building a larger number of data centers. Due to the reduced size and thus, smaller economies of scale of these data centers [Greenberg et al., 2008], such approach is likely to be cost-intensive. A viable alternative may consist in the exploitation of servers in existing content delivery networks, as proposed by Choy et al. [Choy et al., 2012].

Second, cloud providers may upgrade their servers to reduce the latency of the game pipeline. Thus, they could aim to (over-)compensate for the network latency. However, while such an approach may be successful for computationally complex games, it will likely fail for older games where the impact of the game pipeline is relatively small. In addition, server upgrades can be costly, specifically if disproportionately expensive high-end components have to be purchased.

Hence, in our opinion, a key challenge for cloud providers consists in finding an economically reasonable balance between QoS (and thus, the potential number of customers) and cost.

## 4 RELATED WORK

With the interest in – not to say hype around – cloud computing in recent years, this paradigm has been a




Figure 2: Mean latencies with 95% confidence intervals for the game *Shadowgrounds Survivor* per test case (sample size  $n = 250$ ).




Figure 3: Mean latencies with 95% confidence intervals for the game *Trine* per test case (sample size  $n = 250$ ).

very intensive area of research. However, the specific issue of cloud gaming has, according to our perception, received relatively little attention by the research community to date.

Chen et al. have, to the best of our knowledge, been the first to conduct empirical latency measurements of actual cloud gaming providers [Chen et al., 2011]. In their experiments, they regarded *OnLive*, a commercial provider, as well as, *StreamMyGame*, a free software tool that permits to set up a private video game stream. Chen et al. propose and implement a measurement tool which is based on similar conceptual ideas as GALAMETO.KOM. Most notably, the authors also trigger a certain action – in their case, the invocation of the in-game menu – and observe the appearance of the corresponding reaction based on color changes. In their experiments, they find streaming delays – which do not include the network latency – between 135 ms and 240 ms for *OnLive* and up to 500 ms for *StreamMyGame*. Thus, their results are in

a similar order of magnitude as the values that have been observed in our experiments. In contrast to this work, Chen et al. trigger the comparison process in the measurement tool through a redirected Direct3D function call and operates on the backbuffer of the graphics card, not the frontbuffer. Thus, the latency component that is introduced through the copying of the backbuffer scene into the frontbuffer has not been considered in their work. In addition, and more importantly, the authors do not use a locally executed game as benchmark in their experiments.

Jarschel et al. have conducted a user-study involving 58 participants on QoE of cloud gaming depending on network characteristics [Jarschel et al., 2011]. For that purpose, they generate an audio/video stream using a *PlayStation 3* gaming console. This stream is subjected to artificial delay and packet loss, ranging between 0 and 300 ms and 0 and 1% respectively, in different test scenarios. Jarschel et al. find that the quality of the downstream, i. e., the link between provider and user, has a substantially higher impact on the QoE than the quality of the upstream, i. e., the link between user and provider. Their results also indicate that packet loss is of higher relevance than latency for the subjective quality perception. The main difference compared to our work consists in the focus on subjective, rather than objective quality aspects. In addition, Jarschel et al. did not regard commercial cloud providers in their experiments.

Wang and Dey have proposed a cloud gaming system for mobile clients called *Cloud Mobile Gaming* (CMG) [Wang and Dey, 2009]. As part of their work, they examine the impact of different factors on the user experience. The considered factors involve the video stream configuration and quality, the game configuration, delay (i. e., latency), and packet loss. Similarly to Jarschel et al., the authors use a controlled experimental setup, in which they systematically vary the values of the previously mentioned factors. Using on a study group of 21 participants, they infer impairment functions for these factors. The findings are subsequently validated using a control group of 15 participants. Based on practical measurements, the authors conclude that their CMG system may provide a subjectively good or mediocre gaming experience in Wi-Fi and cellular networks, respectively. In contrast to our work, which considers public cloud gaming providers and the local execution of games, Wang and Dey exclusively examine their own, proprietary cloud gaming system.

Outside the academic world, West has measured the latency of various locally executed games on a PlayStation 3 console [West, 2008]. West uses a commodity digital camera in order to take high-frequency

photographs of the game controller and the attached screen during gameplay. Based on a subsequent manual analysis of the resulting picture stream, he deduces the timespan between a button press and the corresponding action. West finds latencies between approximately 50 and 300 ms on the PlayStation 3. The main benefit of West's method is the clear separation between the gaming system and the measurement system. In addition, the camera-based approach also permits to capture the LCD response time. However, the accuracy of the measurement is limited by the maximal frame rate of the camera. In addition, GALAMETO.KOM only requires a brief preparatory manual tuning phase, whereas West's method requires substantial manual effort, which renders the collection of large data samples difficult.

In summary, to the best of our knowledge, our work is the first to empirically examine and systematically compare the user-perceived latency for both cloud-based and locally executed games. Our research results thus permit us to objectively quantify the QoS impact of moving games from a local computer to the cloud, which can be a decisive factor for the acceptance of cloud gaming among potential customers.

## 5 SUMMARY AND OUTLOOK

The cloud computing paradigm has substantially transformed the delivery of IT services. A relatively new service class within this context is cloud gaming. In cloud gaming, video games are centrally executed in a cloud data center and delivered to the customer as an audio/video stream via the Internet. While this model has many advantages both from a user and provider perspective, it also introduces the Internet into the delivery chain, which may inflict the Quality of Service for the user.

In this work, our focus was on the experimental evaluation of user-perceived latency in cloud-based and locally executed video games. For that matter, we created the semi-automatic measurement tool GALAMETO.KOM. We conducted latency measurement for two cloud gaming providers, using three different games and network types, respectively.

Our results indicate that cloud gaming exhibits significantly higher latency than a local execution. Absolute increases were in the range between 40 ms and 150 ms, while the relative increases approximately amounted to between 85% and 800%. The margin between cloud providers and the local execution diminished with an improved network connection and an increase in computational complexity of the game.

In our future work, we aim to substantially extend our experiments through the consideration of additional games, providers, networks, and devices. In this process, we will pursue a longitudinal design, which permits to identify time-dependent variations in latency. We additionally strive to analyze the effects of network disturbances, such as fluctuating bandwidth or increased packet loss, on the QoS parameter of user-perceived latency. Furthermore, we aim to examine how cloud gaming providers can cost-efficiently provide their services under consideration of QoS aspects.

## ACKNOWLEDGEMENTS

This work has been sponsored in part by the E-Finance Lab e.V., Frankfurt am Main, Germany (<http://www.efinancelab.com>).

## REFERENCES

- Buyya, R., Yeo, C., Venugopal, S., Broberg, J., and Brandic, I. (2009). Cloud Computing and Emerging IT Platforms: Vision, Hype, and Reality for Delivering Computing as the 5th Utility. *Future Generation Computer Systems*, 25(6):599–616.
- Chen, K., Chang, Y., Tseng, P., Huang, C., and Lei, C. (2011). Measuring the Latency of Cloud Gaming Systems. In *19th ACM International Conference on Multimedia*.
- Choy, S., Wong, B., Simon, G., and Rosenberg, C. (2012). The Brewing Storm in Cloud Gaming: A Measurement Study on Cloud to End-User Latency. In *11th Annual Workshop on Network and Systems Support for Games*.
- Claypool, M. and Claypool, K. (2010). Latency Can Kill: Precision and Deadline in Online Games. In *First Annual ACM SIGMM Conference on Multimedia Systems*.
- Courcoubetis, C., Dramitinos, M., Stamoulis, G., Blocq, G., Miron, A., and Orda, A. (2011). Inter-Carrier Interconnection Services: QoS, Economics and Business Issues. In *2011 IEEE Symposium on Computers and Communications*.
- Dick, M., Wellnitz, O., and Wolf, L. (2005). Analysis of Factors Affecting Players' Performance and Perception in Multiplayer Games. In *4th ACM SIGCOMM Workshop on Network and System Support for Games*.
- Dikaiakos, M., Katsaros, D., Mehra, P., Pallis, G., and Vakali, A. (2009). Cloud Computing: Distributed Internet Computing for IT and Scientific Research. *IEEE Internet Computing*, 13(5):10–13.
- Gaikai (2012). Gaikai.com :: History. <http://www.gaikai.com/history>.
- Greenberg, A., Hamilton, J., Maltz, D., and Patel, P. (2008). The Cost of a Cloud: Research Problems in Data Center Networks. *ACM SIGCOMM Computer Communication Review*, 39(1):68–73.
- Jain, R. K. (1991). *The Art of Computer Systems Performance Analysis: Techniques for Experimental Design, Measurement, Simulation, and Modeling*. Wiley.
- Jarschel, M., Schlosser, D., Scheuring, S., and Hossfeld, T. (2011). An Evaluation of QoE in Cloud Gaming Based on Subjective Tests. In *5th International Conference on Innovative Mobile and Internet Services in Ubiquitous Computing*.
- Kirk, R. (2007). *Statistics: An Introduction*. Wadsworth Publishing, 5th edition.
- Mell, P. and Grance, T. (2011). The NIST Definition of Cloud Computing – Special Publication 800-145. Technical report, National Institute of Standards and Technology.
- Ross, P. (2009). Cloud Computing's Killer App: Gaming. *IEEE Spectrum*, 46(3):14.
- Süselbeck, R., Schiele, G., and Becker, C. (2009). Peer-to-Peer Support for Low-Latency Massively Multiplayer Online Games in the Cloud. In *8th Annual Workshop on Network and Systems Support for Games*.
- Tanenbaum, A. S. (2003). *Computer Networks*. Pearson Education, 4th edition.
- Wang, J. (2012). NVIDIA GeForce GRID – A Glimpse at the Future of Gaming. <http://www.geforce.com/whats-new/articles/geforce-grid>.
- Wang, S. and Dey, S. (2009). Modeling and Characterizing User Experience in a Cloud Server Based Mobile Gaming Approach. In *2009 IEEE Global Telecommunications Conference*.
- West, M. (2008). Measuring Responsiveness in Video Games. [http://www.gamasutra.com/view/feature/132122/measuring\\_responsiveness\\_in\\_video\\_.php](http://www.gamasutra.com/view/feature/132122/measuring_responsiveness_in_video_.php).
- Wilson, D. (2009). Exploring Input Lag Inside and Out. <http://www.anandtech.com/show/2803/7>.
- Xiao, X. (2008). *Technical, Commercial and Regulatory Challenges of QoS: An Internet Service Model Perspective*. Morgan Kaufmann.

All online references in this paper were last accessed and validated in January 2013.

## APPENDIX

Please refer to the next page.

Table 1: Detailed results for the independent variable latency per test case (in ms). Abbreviations: SG – Shadowgrounds; SGS – Shadowgrounds Survivor; CI95 – Radius of the 95% confidence interval; Pc. – Percentile.

Game	Provider	Network	Mean	CI95	2.5th Pc.	25th Pc.	Median	75th Pc.	97.5th Pc.
SG	CGP-A	UMTS	93.65	6.49	68.98	81.06	87.49	95.00	132.66
SG	CGP-A	LTE	76.39	1.34	55.04	69.74	76.65	83.19	96.76
SG	CGP-A	VSDL	64.39	0.98	48.01	59.05	64.52	69.96	79.75
SG	CGP-B	UMTS	205.34	3.00	167.71	189.81	200.33	216.11	262.00
SG	CGP-B	LTE	181.47	3.20	145.54	163.79	179.08	193.80	263.31
SG	CGP-B	VSDL	170.09	3.29	136.85	151.75	166.23	178.13	259.15
SG	Local	N/A	22.13	0.93	7.91	17.46	22.68	27.80	36.00
SGS	CGP-A	UMTS	106.19	1.61	83.63	96.21	106.89	115.02	130.41
SGS	CGP-A	LTE	80.41	1.40	60.26	72.82	79.59	87.32	102.33
SGS	CGP-A	VSDL	70.43	1.00	56.06	64.66	70.00	76.13	86.90
SGS	CGP-B	UMTS	217.63	3.27	182.11	200.11	213.73	231.18	285.12
SGS	CGP-B	LTE	201.58	2.85	161.56	189.64	198.71	210.90	261.06
SGS	CGP-B	VSDL	184.45	2.73	150.83	167.37	183.18	199.11	224.45
SGS	Local	N/A	33.79	1.11	16.64	27.69	34.03	39.98	51.08
Trine	CGP-A	UMTS	128.13	1.91	95.56	117.01	128.43	139.00	153.98
Trine	CGP-A	LTE	93.06	1.31	76.26	85.96	93.24	99.48	112.61
Trine	CGP-A	VSDL	82.88	1.25	67.05	75.82	82.03	88.62	106.85
Trine	CGP-B	UMTS	189.58	2.57	157.01	176.04	187.87	201.02	239.97
Trine	CGP-B	LTE	160.76	3.11	130.12	145.36	156.74	169.60	219.02
Trine	CGP-B	VSDL	151.69	2.01	118.01	141.79	152.10	161.56	181.86
Trine	Local	N/A	44.68	1.83	25.14	35.90	41.01	49.29	84.01




Figure 4: Box-and-whisker plot of latencies for the game *Shadowgrounds* per test case (sample size  $n = 250$ ). The box indicates the 25th and 75th percentiles, whereas the whiskers mark the 2.5th and 97.5th percentiles. The median, i. e., 50th percentile, is denoted by a horizontal bar within the box.




Figure 5: Box-and-whisker plot of latencies for the game *Shadowgrounds Survivor* per test case (sample size  $n = 250$ ). Same notation as in Figure 4.




Figure 6: Box-and-whisker plot of latencies for the game *Trine* per test case (sample size  $n = 250$ ). Same notation as in Figure 4.