

Birgit Zimmermann¹, Christoph Rensing², and Ralf Steinmetz²

¹ SAP AG, SAP Research Center Darmstadt Bleichstr. 8, 64283 Darmstadt, Germany
birgit.zimmermann@sap.com

² KOM Multimedia Communications Lab, Technische Universität Darmstadt,
Merckstr. 25, 64283 Darmstadt, Germany
{christoph.rensing,ralf.steinmetz}@kom.tu-darmstadt.de

Abstract. The adaptation of existing E-Learning material to a changed usage scenario is a complex task. But in reality, often the persons, who have to adapt existing material, are not experts in performing all needed tasks. Thus, to be able to support those persons, it would be desirable to provide a tool based on expert knowledge about how to perform the processes. In this paper an approach is presented, how experts in performing adaptation processes can provide their knowledge about the processes via a pattern based description formalism. A wizard guiding users step by step through the described adaptation processes can be derived from the patterns. This wizard offers expert knowledge to persons who are novices in performing adaptation processes.

Keywords: Process description, Process support, Patterns, E-Learning, Adaptation, Reuse.

1 Overview

Users of software often complain that many software solutions only insufficiently support them in solving their problems and performing their tasks. This phenomenon occurs with all kinds of software. It can also be seen with tools that are especially developed to support users in performing specific tasks. Working on a tool supporting users in performing so called adaptation processes we found the same problem.

Adaptation processes are needed to adapt existing E-Learning material in order to make it suited for changed usage scenarios. There exist lots of different kinds of such adaptation processes (e.g. adaptations to a changed corporate design, terminological adaptations, or content translation) [19]. Thus several aspects have to be considered (layout, didactics, linguistics, technology). In addition various different formats are used (such as HTML, PPT or Flash), often within one course. Unfortunately, many authors, who have to adapt E-Learning material, do not have the knowledge to perform all the adaptations needed. Therefore a tool offering support to authors in performing E-Learning material adaptations would be useful. To offer tool support for adaptation processes we created a wizard based on a pattern based description formalism for adaptation processes. This paper presents our experiences with this approach. The next chapter gives an introduction to adaptation processes.

2 An Introduction to the Example Scenario: Adaptation Processes

Creating high-quality E-Learning material is a time and cost consuming task. Re-using existing material could reduce these costs. But often a one-to-one reuse of the existing material is not possible, as the new scenario of usage differs to a certain degree from the original usage scenario. Therefore, to achieve a high quality, it is necessary to adapt the existing material to the new usage scenario. There exist a lot of different adaptations. [19, 20] give an overview of those adaptations.

The processes needed to perform the adaptations are structured hierarchically: A process is performed by executing several process steps. These process steps can consist of smaller process steps or of atomic operations that cannot be split up into smaller units (see figure 1).




Fig. 1. Process hierarchy

Let us have a look at one example process: The adaptation of E-Learning material to a changed (corporate) design consists of several process steps like exchanging logos and images that do not fit, or changing fonts, backgrounds, colors, etc. The process step "exchanging images" consists of several atomic operations like identifying all used images, testing for each image, if it fits to the requirements, finding images that have to be used instead of non-fitting images etc.

Some of the adaptations are quite complex. Translating text in a text box, for example, can change the length of the text. Then it has to be decided if the text box has to be enlarged, or if the text has to be shortened, or if this fact does not matter. Someone, who is not working as a translator, might not be aware of all these possibilities.

In addition, in many cases it is necessary to perform several adaptations in order to achieve a good result. When a course that has been produced for one company has to be reused in another company, the layout has to fit the new corporate design. In addition it is often also needed to change the terminology, in order to adapt it to the terminology of the new company.

But in reality, often the persons, who have to adapt the material, are not experts in performing all needed tasks. Mostly they only have a certain basic knowledge of how to perform the adaptation processes. This means that compared to Dreyfus' model of skills [3] they are novices in performing adaptation processes. But with the help of a tool that is based on the knowledge of persons from the expert level it is possible that the novices are supported in performing adaptation processes in such a way that they are enabled to achieve results that a user from a higher skill level would achieve. To develop such a tool support was our goal within the Content Sharing Project (<http://www.contentsharing.com>).

To be able to offer support for adaptation processes it was necessary to find out how the adaptation processes have to be performed and how a useful tool support could look like. Therefore we carried out a survey of persons being experts in performing the processes needed to adapt existing E-Learning material in order to make it suited for changed usage scenarios [19]. These persons perform adaptation processes very often. Therefore they can offer a detailed description of how to perform the processes.

Many of the adaptation process experts mentioned that existing tools are not well suited to support users in performing the adaptation processes. Especially novice users are often not able to use these tools. The main reason for this problem is that the tools often do not represent the processes themselves. They are based on the software designers understanding of the processes [10]. But in many cases this understanding differs from the processes as they are performed and understood by the process experts [12]. Thus we decided to look for a possibility that allows adaptation process experts to be involved more directly in the development of a tool offering support for adaptation processes.

3 Problem: How to Enable Process Experts to Describe Adaptation Processes?

Traditional software development often starts with analysis activities in order to collect information about how processes are performed. The requirements from user side as well as from system side are collected. Based on these requirements, models of the processes are developed and implemented [13]. The exact proceeding can deviate depending on the underlying project structure (e.g. software development according to v-model, spiral models, extreme programming, rational unified process etc.).

But this proceeding often leads to problems caused by misunderstandings between process experts and software designers and developers [12]. To make things worse, it is often not possible for process experts to control if the models really describe their processes, as they do not have knowledge of common modelling formalisms like UML or ARIS. According to Siau et al. [17] UML is too complex in many cases and its constructs are ambiguous. The same holds for ARIS [14].

Someone, who for example is working as a translator (an adaptation that occurs very often), is a process expert for translation. Normally this person is not simultaneously an experienced software developer or designer. Therefore most translators are not able to deal with common modelling formalisms as UML, ARIS or BPMN [1], as they do not need these methods in their daily work. The same holds for many other

adaptation processes: Mostly persons have expertise in the processes they deal with in their daily work. Thus they are able to give a detailed description of how they perform these processes. But many of these persons have never learned to describe their processes with common modelling formalisms.

Thus, in order to integrate adaptation process experts more closely into the development of a tool supporting the adaptation of existing E-Learning material, it would be desirable to facilitate adaptation process experts to describe their process knowledge in a way that is easy to understand and that does not require extensive training. This knowledge should be used for software creation. To be able to solve this problem it was necessary to find a possibility that fulfils the following requirements:

- In order to enable the process experts to describe adaptation processes on their own, the process description formalism has to be easy to understand and easy to learn.
- In order to be able to get an understanding of a possible tool support a prototypic support tool should be created based on the process descriptions provided by the process experts. This prototype should give process experts a possibility to find out if a given process description is correctly reflected in the prototype and if a tool based on the prototype would support the described adaptation process in the desired way.
- At the same time it has to be considered that the description formalism has to be structured in such a way that on one hand it is possible to create the prototype mentioned above based on the description in a way that does not require development skills. On the other hand, the prototype has to solve as a basis for further development. This means that the prototype as well as the process description have to contain all information needed to create a prototype and to allow a developer to implement a computer program by enhancing the prototype.

For the adaptation process expert it is important that the description formalism can be used without extensive training. For the developer it is important that the description formalism allows using familiar software development proceedings and tools as far as possible. We wanted to find an approach that meets both requirements. This approach should be used to enhance the software development processes existing by now. It was not intended to replace those processes.

4 Solution: Pattern Based Wizard Creation

4.1 Using Patterns to Describe Adaptation Processes

As described before it was our aim to find an approach to integrate the adaptation experts more directly into the creation of a tool that supports novices in executing adaptation processes. Such a tool should be based on process descriptions provided by process experts. In order to be manageable by adaptation process experts, the formalism, used to write down the process descriptions, has to satisfy a number of requirements:

- The description formalism must be easy to understand without specific previous knowledge, as most process experts are not familiar with common methods used in software development to describe processes.
- The process descriptions have to enable persons, who are not adaptation process experts, to perform the adaptation processes in a satisfying way.
- Based on the process descriptions a prototype should be created that serves as a basis for further development. Thus, software designers as well as software developers should be able to use the descriptions as basis for developing software programs in a way they are used to.

As stated before, classical software development often leads to misunderstandings between process experts and software designers and developers. Thus we decided to offer a prototype as a common basis for communication between those parties. In order to make sure that the prototype reflects the process experts' understanding of the processes we were searching for a possibility that allows process experts to develop a prototype on their own that is based on their process descriptions. This leads to some additional requirements for the process description formalism for adaptation processes:

- The description of an adaptation process has to contain all information needed to create a prototype.
- As the prototype creation should be done in an automated way (compare next section), the process description must be stored in a form that makes automated prototype creation possible.

We decided to use patterns to capture the process knowledge of adaptation experts and to store these patterns in an XML format. Patterns document proven solutions to recurring problems; they describe best practices [7]. Patterns are noted in natural language. Hence they are easy to understand for the persons of whom knowledge is collected with the patterns [6].

Patterns offer a regular form and they can have a structured, fixed notation. They can be stored in an XML format like the Pattern Language Markup Language (PLML) [11]. (PLML is an XML DTD, which originally was thought of as a common standard for HCI patterns). XML is very flexible. It offers the possibility to be used for several different areas of application. For example, XML can be rendered to HTML or other formats, e.g. by using XSLT. In this way it is readable for a non IT person. At the same time it is very structured and thus machine readable. Besides it can be imported to established UML modelling tools by using XML Metadata Interchange (XMI).

Patterns are written down in natural language. Therefore pattern based process descriptions are easy to understand for adaptation process experts. In addition software designers as well as developers will find their familiar views on pattern based process descriptions stored in XML, because of the flexibility of XML.

But most process experts are not able to generate XML files. Therefore we developed a two-stage proceeding for the creation of process descriptions: First the knowledge of process experts had to be captured in an easy to understand, pattern based format. In a second step this format had to be mapped to a formal XML representation allowing to generate a prototype based on the given information.

Note that patterns are not processes: In our approach we used patterns to describe how a certain process that solves a recurring problem can be performed. Thus, these patterns describe (parts of) processes needed to adapt existing E-Learning material on a high level. They contain important information about how to proceed. Especially they contain a section naming all needed process steps. Some other pattern formats also include sections describing concrete steps in detail. But as process steps are sometimes needed in several processes, we name the steps and – if needed – their order within a pattern. But we separate their concrete description from the patterns. We added a second kind of descriptions for the process steps, which we called how-to guides. These how-to guides explain in detail, what has to be done, to perform each process step and which smaller process steps or atomic operations are needed during the execution of a process step. Compared to the patterns describing the whole process the how-to guides are much more detailed.

Atomic operations are process steps, which cannot be split up into smaller units. Most atomic operations are used in several process steps. Therefore we also have separately written down instructions for all atomic operations needed in the process steps.

4.2 Wizards for Process Support

Wizards are a common solution in computer science, to offer users without expert knowledge a step by step guidance through processes. According to [5] wizards can be used, if novices have to perform a complex task composed of several steps. The novices know which goals they want to reach, but they do not necessarily know which steps they have to perform to reach the goal. A wizard helps them in reaching their goals.

Wizards are easy to use even for users, who are not familiar with the processes supported by the wizard. Adaptation processes often have to be carried out by persons who are not experts in performing these processes. Therefore they need detailed step by step guidance through the adaptation processes. Thus we decided to develop a wizard as a supporting tool for this kind of processes.

As stated before, it was our aim to enable the process experts to be involved more directly into the software creation process in order to achieve software that is based on their knowledge. Thus we were searching for a possibility allowing the process experts to prove the outcome of their process descriptions. But adaptation process experts often have no knowledge of common modelling formalisms. And we did not want them to be forced to learn common modelling formalisms or programming techniques. We therefore decided to develop a method that allows process experts to generate a prototypic wizard, which is based on the process descriptions written by the process experts. With the prototype it can be checked, whether the underlying process descriptions really describe how the processes are performed. As most of the experts in performing adaptation processes do not have the knowledge to develop such a wizard, the wizard development method should be easy to use for persons without programming experience. Therefore we wanted an automated wizard generation that does not require expertise in software development. To be manageable for process experts and to be a useful basis for further development, the wizard as well as its generation have to meet certain requirements:

- The wizard should be based on the process descriptions written down in the pattern based notation formalism (described in section 4.1), as they contain all information needed to carry out the processes.
- To be able to offer process guidance for novices the wizard has to describe, how to perform the adaptation processes step by step.
- The generation of the wizard should be done in an automated way that can be managed by the adaptation process expert.
- The generation has to be done quickly, as the process experts might perform the following circle several times: write process description - create prototypic wizard - check wizard - if the wizard does not fully meet the expectations: adapt process description - generate revised wizard - etc.
- The generated prototypic wizard should be extendable by automated functionalities. Thus a developer could create a supporting tool for adaptation processes based on the wizard generated by the adaptation process experts.

We developed a wizard generation tool that meets these requirements. The tool is described in section 6.

4.3 Implementation

In this section we give an introduction of the implementation of our approach. Section 5, 6, and 7 offer a detailed description.

As stated in section 4.1, the patterns, process step descriptions and atomic operations descriptions contain the knowledge of the adaptation process experts. To be able to create a prototypic wizard out of these process descriptions we needed a structured, machine readable representation of this information. Because of its flexibility we have chosen an XML notation (adapted from PLML) to store the patterns describing the adaptation processes (compare section 4.1). We also used XML to store the process step descriptions and the atomic step descriptions.

But most process experts have no or only limited knowledge of XML. Because of this we developed a process description input tool (PIT), which supports users in writing down pattern like process descriptions and saving them as XML files. PIT stores the descriptions given by the process experts in two files: one file containing all textual information about the process and a second file containing a graph representation of the structure of the process. This proceeding corresponds to the two-stage proceeding for the creation of process descriptions mentioned before (section 4.1):

1. In a first step PIT allows to capture the process knowledge in an easy to understand format. This is done with a pattern based description formalism. The pattern based process descriptions can be created with the help of the tool PIT.
2. In a second step PIT maps the format to a formal XML representation that allows to generate a prototypic wizard based on the information provided in the process description.

As described in section 4.2, a prototypic wizard, generated based on the process descriptions, can offer process experts the possibility to check if an adaptation process is reflected correctly. For this purpose we developed the wizard generation tool (WGT).

WGT takes the XML files as input. It then generates a wizard by interpreting the data provided by PIT. The generated wizard represents a first prototype of a process support wizard. It can be taken as a common ground for communication between IT experts and process experts. In addition it can serve as a starting point for further development done by experienced software developers.

Thus the pattern-based wizard generation approach proposed in this paper is based on a three-step proceeding:

1. Writing pattern like process descriptions and store them in XML
2. Automated wizard generation
3. Extension of prototypic wizard

Each of these steps is explained in detail in the next sections.

5 Step 1: Writing Process Descriptions

In the first step the process expert has to create a pattern like process description. For each process one pattern is created that describes the process in general: What problem is solved by the process? Which things have to be kept in mind? If a process is more complicated and contains several sub-processes, it is possible to create patterns for the sub-processes and to link them to the super process. (This is realized via a specific type of related patterns.)

The patterns describe the process on a high level, as they explain how the process helps to solve a certain problem. But to perform the process one has to know which process steps and atomic operations have to be performed and how this has to be done. Thus, in addition to the high level process description, the process step descriptions and the descriptions of the atomic operations have to be created.

To support process experts in creating process descriptions in the needed format the process description input tool (PIT) has been created. PIT is a Java application developed under Eclipse. It offers an input form helping process experts to describe processes in the required pattern based notation formalism.

Figure 10 in the appendix presents a part of PIT's input form for process descriptions. One can see that the process description contains common pattern elements like intent, context, or problem statement. These elements provide a reason why a process can be applied, why a certain context has to be fulfilled to be able to perform the process etc. Thus they are useful for other persons who might want to perform the described process. All this information is very valuable to all persons, who have to decide, which process helps them in solving a specific problem, and who are not process experts.

As shown in figure 10, mandatory input fields are marked with an asterisk. We have chosen these elements as mandatory as they are most important to other persons in order to understand why and how a process has to be performed. Mandatory elements are:

- The **pattern ID** is a unique ID used to address the pattern. It is created automatically.
- The **name** provides a first, rough idea what the pattern is about.
- The **problem** section describes the situation addressed by the pattern.
- The **solution** explains to the user, how the problem can be solved.
- The **process steps** list all steps needed to execute the solution.
- The **consequences** help other persons, to decide if they want to apply a pattern or not, depending on if the positive consequences are more important than the negative ones.

The non mandatory elements are needed, if a process expert wants to write a pattern, but they are not necessary, to offer a useful process description:

- The process expert has a certain **confidence** in the process description. (As we talk about process experts the confidence should be high.)
- The **intent** gives a short overview, what a pattern is about.
- The **context** describes the situation, where the pattern can occur.
- The process expert can give an **example** of a successful application of the pattern.
- The **forces** describe the sometimes contradicting trade-offs that must be considered when performing the process.
- **Known uses** describe situations, where the pattern has been applied successfully.
- **Related patterns** can exist, but it might be that there are no related patterns.

Note that the process descriptions we have collected for adaptation processes meet the quality criteria of being patterns (like being general, having at least three known uses, etc.). But the process descriptions written down by process experts need not to be patterns. If a process expert creates a process description with PIT, PIT ensures that all information needed to generate a prototypic wizard is given. But PIT does not check if the process description is a pattern. But also process descriptions that are not patterns offer valuable information and a good basis for wizard creation.

When the process expert stores a process description, the given information is stored in XML files. The XML files contain in one file the textual description of the process and in a separate file the graph representation defining the process flow and all its dependencies and preconditions. In the appendix a DTD of the XML file containing the process information can be found. Many of the elements of this DTD are taken from PLML [11]. The PLML v1.1 DTD contains some additional elements that have not been taken into account here: *alias*, *synopsis*, *diagram*, *rationale*, *literature*, *pattern-link* and *management*. The patterns taken as a starting point for this work do not need these elements.

But our patterns contain some elements that have a slightly different meaning compared to PLML. The PLML element *illustration* is called *example_illustration*, as to our understanding, this better explains what is meant by this element. To be able to better differentiate the *example* as used in PLML from the *example_illustration* we call it *example_explanation*. What is referenced as an *implementation* in PLML is called *process_steps* in our DTD. The *related_patterns* already contain a link to the pattern they are

related to. Therefore our `related_patterns` are a kind of a combination between `related-patterns` and `pattern-link` in PLML.

The following elements that are used in our DTD are not mentioned in PLML, but they are necessary in our approach:

- `intent`: The intent explains what the pattern aims for.
- `known_uses`: The known uses are part of the example-section in PLML. In our patterns the example only contains one known-use. Other known uses can be added by using this element.
- `consequences`: The consequences occur when the pattern has been applied. Positive and negative consequences can occur. As for a reader of a pattern it is very important to know, what will happen when applying the pattern, we added this section.

5.1 Defining Process Steps and Atomic Operations

The steps of a process, their interdependencies, and the preconditions for the execution of each step constitute the process. Thus process steps are essential for the execution of a process. Also branching (“if step A leads to result A’ then perform step B else perform step C”) and cycles (“repeat step A until condition B is fulfilled”) within the process flow are of importance. Hence PIT provides a special wizard to define the process steps. This wizard allows a fine granular specification of the process flow without requiring special knowledge of process modelling. It is started by pressing a button to add a step to the process description.

With this wizard users can define for each step, if the execution of a step is mandatory or optional, or if certain preconditions have to be fulfilled, before the step can be executed, or if there are dependencies on other steps. Branches are embodied by a special kind of precondition: If the precondition leads to one result, one step is executed, if it leads to another result, another step is executed. Cycles are defined by specifying a step that is the starting point for the cycle and another one, which is the end point. In addition a termination condition has to be defined. This is again modelled by a special kind of a precondition.

Figure 2 shows the screen used to define a step that has to be performed, if other steps have been performed before. Another part of the wizard helps users to define preconditions and a third one allows to model cycles. In addition an input form exists, used to describe how a process step has to be performed. The description of process steps is also stored in the process description file.

Compared to the pattern based description of a whole process, the process step description is very short: It contains the name of the process step, a detailed description of how to perform the process step and a listing of all smaller process steps and atomic operations needed when performing the process step. Sometimes a process step is as complex that it can be regarded as a complete process on its own. Then it is possible to create a process description for this step. This description can be added to the process step description via a special link. In the wizard this is presented as a link to an additional page containing the complex description. Users of the wizard can then read this additional information.

Edit the preferences of the selected node...
 (Note that changes of the name may also affect other process steps...)

Name:

Type:

Performing this step ...

Is there at least one step in the table aside that has to be performed before the current step?

☒ Yes

Please choose the steps that have to be performed before this one in the table.

available nodes

- ☒ Replacing graphical elements
- ☒ Deleting graphical elements
- ☒ Add additional graphical ele...
- ☒ Performing changes accordi...
- ☒ Changing company naming

OK Cancel

Fig. 2. Defining dependencies between steps

As steps themselves consist of smaller steps - atomic operations or again process steps - it is also possible to define all operations and smaller steps needed to perform a process step. Again a wizard helps to state if the execution is mandatory or optional, or if certain preconditions have to be fulfilled. Dependencies on other atomic operations can also be determined. For each atomic operation a description has to be provided, how the operation is executed. This can be done via a special input form.

There exist three different kinds of atomic operations: queries, decisions and executions.

- **Queries** are needed to determine information. For example: Find all images used in an E-Learning course.
- **Decisions** are needed if a person, who performs the process, has to decide on something. For example: Decide for each image, if the image has to be deleted or not.
- **Executions** are needed, whenever something is changed or done. For example: Delete all images that have been chosen for deletion.

Based on the information represented via the process steps and the atomic operations the second XML file is created. This file represents the process flow. It names all steps and atomic operations. For each step or atomic operation it contains the information whether the execution is mandatory or not, and if there exist preconditions or

dependencies. Via the pattern ID, process step ID, and atomic operation ID it is possible to map the information stored in this file to the information stored in the description file. Listing 2 in the appendix contains an example for such a process graph description.




Fig. 3. Visualization of a process graph

PIT offers several possibilities to work with the generated process descriptions: It is certainly possible to edit an existing description. In addition the textual description stored in XML can be rendered as HTML in order to view it via a browser. Thereby it is possible to read the entire process description as a continuous text. Thus, it is more comfortable to control, whether the description is complete and accurate. Furthermore, a visualization of the process graph is available that represents all steps of the process flow. (Figure 3 shows the first level of the process graph corresponding to listing 2 in the appendix. By clicking on a process step the level under this step opens in the viewer.) At the moment this visualization is only a first prototype. Further enhancements are planned. As the process descriptions are stored in XML it is possible to offer several visualizations that are tailored to the needs of several persons (a developer and a process expert need, for example, different visualizations). In addition it is planned to offer an export to XMI. The XMI files could be used to provide a class diagram and an activity diagram representing the process.

6 Step 2: Automated Wizard Generation

The XML files generated by PIT serve as input for the wizard generation tool (WGT) used in step 2 of the proceeding proposed here. WGT is a Java application developed under Eclipse. Based on the information of PIT's XML files it generates a wizard that, as a first prototype, can be used as a starting point for further development.

WGT is started by selecting a menu entry in PIT. WGT reads the process description that is actually open within PIT. The user specifies where the generated wizard has to be stored and starts the wizard generation by simply pressing a button (compare

figure 4). WGT then parses the XML files created by PIT. It extracts the information contained in the files and fills several predefined code templates with this information. By this procedure all needed Java classes for the prototype are created. The “Activate additional options...” section shown in figure 4 can be activated to open a dialog that allows to specify, how the atomic operations have to be distributed over the wizard pages. (Later in this chapter this is explained more detailed.)



Fig. 4. Screenshot of WGT

The main purpose of the wizard generation tool is to generate a wizard based on the information given by the process descriptions created with PIT. Note that the process descriptions contain more information than a “normal” pattern: They contain the pattern like process description, the process step descriptions and the descriptions of all needed atomic operations. Thus, the wizard can provide all information needed to carry out a certain adaptation process.

The wizard has a graphical user interface, which allows directly after its generation that the process expert evaluates whether the wizard contains all needed information and whether the process flow is correct. The design of the user interface follows common rules for designing user interfaces, as described in [2, 15].

The atomic operations used in the wizard are not automated directly after generating the wizard. Instead the wizard contains descriptions telling a user, how to proceed. We believe that it leads to better results, if an experienced software developer checks, where it is reasonably possible to automate certain operations, compared to trying to automate functions already during wizard generation. Where this is possible the developer can extend the automatically generated source code. To make it easier for the developer, to find where the source code can be extended, comments are added to the automatically generated source code during its creation.

As stated before, another important point during wizard generation is the time needed to generate the wizard. As long as the wizard does not fulfil all needs, the process expert will change the description created with PIT and generate a new version of the wizard. Thus it is highly probable that the process expert will use WGT several times until a wizard is generated that really fulfils all needs. Therefore WGT has to be fast in order to reduce the time, where the process expert has to wait for the generation to finish.

As large parts of the source code stay the same, code generation templates exist for most wizard classes. There are several kinds of page templates and composite templates depending on the function of each part of the wizard: One template exists for the start page of the wizard, another one for the last page. A special page template exists for process steps. This template contains a part, where the description of the process step can be added. The atomic operations are realized via composites that are based on composite templates. For the three different types of atomic operations three different templates are used. The composites of the operations of a process step are grouped together on one page, which is also created based on a template. This allows a fast source code generation.

The wizard generation tool consists of three logical units that are passed one after the other (shown in figure 5):

1. In the first part the XML files provided by PIT are read. The information about the process flow is transferred into an internal process structure model and the information contained in the descriptions is extracted.
2. The second part uses this information to map it to Java code templates. The textual information is used to enhance the content of the graphical user interface. The structural information is used to create all process steps and to transfer the structure of the process flow to the wizard. By this all needed Java classes are generated.
3. The third part writes the generated source code to several Java classes and marks all parts in the source code that can be enhanced by adding additional source code. In addition the created classes are compiled and a batch file is created that allows starting the wizard comfortably.




Fig. 5. Three phases of WGT

The prototype wizard generated by WGT is based on the model-view-controller principle [4]:

- The process graph containing information about the process flow serves as *model*.
- The wizard pages providing a graphical user interface build the *view*. Those pages contain the textual information of the pattern-based process description. They are based on Java code templates. WGT instantiates those templates by filling them with the given information. The pages then contain a detailed description on how to perform the process, each process step, and each atomic operation.
- The *controller* of the wizard passes events caused by the user to the model and reactions caused by the model back to the user. The controller interprets the process flow information provided by the model. Depending on the user input the controller monitors, which step has to be performed at which time and which step is possible as next step. Thus, the controller assures a correct process flow. In addition it contains information about the actual state of the wizard, as it stores, which steps have been carried out so far as well as their results. This is important for a further implementation of the wizard enhancing it with automated functionality. The controller also has to collect and distribute all data that have been created or are required when performing several steps in an automated way.

6.1 Arranging Steps and Operations on Pages

One problem when creating the wizard is how to distribute the process steps and atomic operations over the wizard pages. There are several possibilities, how to solve this problem: One could create one page explaining each process step and one additional page for each atomic operation. As many adaptations consist of quite a lot of process steps and atomic operations, this can easily lead to a huge number of pages with sometimes only a short explanation on it. Therefore we discarded this possibility.

Another possibility would be to create one page for each process step, and to add all atomic operations needed in the process step to this page. But many process steps contain ten and more atomic operations. Then the pages would become huge and overcrowded with information. We also discarded this possibility.

We decided to use something in between these two extremes: We create one page describing how to perform a process step. As the wizard offers an expert and a novice mode, this page can be displayed to novice users and it can be hidden for experts, who do not need this information. In addition the atomic operations are spread over several pages. By default five atomic operations are grouped on one page. (According to Miller the short term memory has a capacity of 7 ± 2 information items [9]. With five operations on one page one can be sure, that users are able to get all information displayed on the page.) But someone, who knows, how the user interfaces of the automated atomic operations look like, can group the operations in such a way that the automated operations fit well on the page. Therefore the “Additional Options” mode of WGT exists. This mode allows to group the atomic operations on the pages in a way that best fits the needs.




Fig. 6. Arranging atomic operations on pages

Figure 6 shows how a user can group atomic operations to pages. You can see that for each process step it is shown, which operations are needed in this step. On the right site it is possible to see which operations are placed on which page. By selecting an operation and pressing the arrows on the right you can move this operation to a page before or behind the actual page. Selecting for example the operation “If the size does not fit the requirements, change it” and pressing the “Down”-Arrow on the right would move this operation to the second page.

7 Step 3: Extension of Prototypic Wizard

Together with the process descriptions generated during the first step the wizard serves as a basis for communication between process experts and developers. Based on this prototype a common understanding of the process described in the wizard can be established. The wizard makes it easier to discuss ideas for further development in a vivid way. In addition it provides a code skeleton that can be enhanced comfortably by a developer. For this purpose the code generated by WGT is marked with special comments indicating, where additional code can be added. This can be done in the third step of the proceeding presented in this paper. The two steps presented so far are both executed by process experts. Step 3 has to be executed by a developer.

To make work faster and less error prone it is useful to add automated functionalities to the wizard, where this is reasonably possible. Therefore the wizard created by a process expert has to be handed over to a developer. The developer gets the information created in the first step and the prototype generated in the second step.




Fig. 7. One wizard page before adding automated functionalities




Fig. 8. The same page after adding automated functionalities

With the Wizard Generation Tool WGT for each process step one or more wizard pages have been created. The pages contain a list of all operations needed to execute the process steps. The developer can add additional source code for each operation that can be automated. The initial source code contains comments indicating, where automation is possible. The developer has to provide a new part of source code describing the user interface and a code section in the controller class (compare section 6) that stores the information needed for and provided by the operation. The operations itself are stored in a so called function pool. This allows to reuse operations in several process steps. Comments within the original source code give hints, where to enter the new code and which dependencies between model, view, and controller have to be taken into account.

By this proceeding it is possible to add code for all operations that can be automated. Figure 7 and figure 8 show a part of one wizard before and after adding automation to the operations. Together with the process expert the developer can check for each operation if it works in the desired way. By this proceeding we enhanced the prototype created based on the adaptations patterns to a fully functioning support tool for adaptation processes.

8 Application of the Approach to the Example Scenario

With the approach presented here we created a wizard supporting users in performing the adaptation processes described in chapter 2: We have written down the outcome of our user survey (compare section 2) using patterns to describe the adaptation processes. This led to a couple of initial patterns. We revised the initial patterns together with process experts. In addition we made sure to find at least three known uses for each pattern by searching for successful applications of the patterns. Some of the results have been published at PLoP conferences [20, 21]. Then we generated a prototypic wizard with WGT and enhanced the prototype by automated functions.

The resulting adaptation wizard is integrated into a larger tool, the so called repurposing suite, which is described in [8]. This suite allows to analyse, modularize, adapt, and aggregate existing E-Learning material. By embedding the adaptation tool into the repurposing suite user, we offer users a possibility to efficiently reuse existing E-learning material. Figure 9 shows the start screen of the tool, displaying all available adaptations.

The wizard is based on patterns describing the following adaptations:

- Adaptation to a changed (corporate) design: This adaptation is needed whenever the appearance of the material has to be changed, e.g. if material designed for one company has to be reused in another company with a different corporate design.
- Adaptation in order to achieve a print version: Often a separate print version is needed, that has to fit a certain paper size.
- Adaptation to a changed terminology: Sometimes the terminology changes, e.g. if the course is reused in another company that uses a different terminology.
- Adaptation to a changed language (i.e. translation), e.g. translate from English to German.
- Adaptation to achieve an accessible version, e.g. in order to achieve a version that is suited for blind persons.




Fig. 9. Start page of the adaptation tool

For each adaptation one or more patterns exist describing the adaptation process. (The adaptation to achieve an accessible version is, for example, described by several patterns, as it consists of several sub-processes.) By entering the patterns into PIT and by adding all needed additional information about the processes, like process step descriptions and atomic operations descriptions, we created process descriptions. Then we generated a wizard with WGT based on these process descriptions. Outcome was a first prototype wizard (Figure 7 shows one page of this wizard).

The prototypic wizard guides users step by step through the adaptation processes. For each process a high level description is offered. This description provides general information what has to be taken into account, when performing the adaptation process. It is based on the patterns describing how this process helps to solve a specific problem. In addition detailed information about the process steps and atomic operation is offered. (This information has been created in addition to the patterns.)

As a next step we automated all parts of the wizard, where this was reasonably possible. (Figure 8 shows one of the pages enriched with automated functionalities.) We analysed the functions needed to perform the supported adaptation processes and we designed functionalities that could be used to enhance the prototype. These functionalities have been added to the wizard. Outcome of this proceeding was a tool that supports users in performing adaptation processes for E-Learning material.

If a user starts the adaptation tool (compare figure 9) she can see the degree of automation offered by the tool for each supported process. (At the moment four

adaptation processes are partially automated. For all adaptation processes a detailed guideline is available, which can be accessed by clicking on the question mark on the right of the corresponding process.)

The adaptation tool offers support for novices and laymen, but it also is a valuable support for adaptation process experts in their daily work, as it automates several steps that by now often have to be done manually (e.g. when creating a print version). Thus the adaptation tool offers two modes: one for novices and one for experts. The mode for novices offers more detailed explanations whereas the mode for experts is optimized for working fast. (Of course experts also can get access to the detailed information, if they wish to.) A detailed explanation of the adaptation tool can be found in [18].

8.1 Evaluation of the Adaptation Tool

A first evaluation with test users of the Content Sharing Project was promising: The users were enabled to perform all offered adaptations correctly. They found process guidance and detailed help on all processes. Based on their feedback we improved the functionalities. In a second, larger evaluation we tested our tool by comparing it to a common WYSIWYG HTML editor. At the moment no tool exists that supports all adaptation processes that are needed to adapt existing E-Learning material to changed usage scenarios. Therefore we have chosen a tool that is comfortable to use and supports at least most of the functions needed to perform the adaptation processes to compare it with our tool. As many E-Learning courses are stored in HTML format we have chosen an HTML editor. We wanted a tool that is easy to use and that offers a WYSIWYG function allowing to control directly what has been changed. We decided to use Netscape Composer as HTML editor, as it is easy to use and allows to perform at least some typical adaptations.

We asked 32 users to perform some typical adaptations to three existing E-Learning courses. (It was possible to perform all adaptations with our tool as well as with Netscape Composer.) One E-Learning course was dealing with medical topics, one was an introduction to Multimedia, and the third one was a course to learn English. Half of the users were asked to work with our tool; the others got the WYSIWYG tool. Both groups got a detailed explanation how to use their tool. The tasks were the same for both groups. At the end of the test the participants were asked to answer a questionnaire in order to determine how satisfied they were in working with the tool.

Both groups were able to perform the adaptations as described in the manuals. Both groups did the tasks fast and with only very few errors. But we found that users working with our adaptation support tool needed in average 14 minutes with our tool to finish the tasks compared to in average 20 minutes with Netscape Composer. And users working with the Netscape Composer made in average twice as many mistakes as users working with the adaptation tool.) In addition users that were working with our tool were more satisfied with the use of the tool. As the adaptation tool got very positive feedback and the outcome of the adaptations had a very good quality, we think that our tool offers a better support for adaptation processes than the tool used for comparison. In addition we think that the knowledge collected with patterns is a good support for users in performing adaptations as the explanations how to use the

tools for both test groups were based on the patterns. And the results for both test groups were very satisfying. For the future we plan to enhance our adaptation tool based on the feedback we got from the users.

All users, that have been taking part in the evaluation, have knowledge of the HTML file format. But one additional benefit of our tool is that this knowledge is not needed, as the tool abstracts from a concrete file format. Thus it is possible to use one tool to perform all adaptations in all files belonging to a learning resource without having detailed knowledge of the formats. This is a feature that is not supported by the tools that up to now have been used to perform adaptation processes.

9 Evaluation of Concept

The aim of the concept presented in this paper was, to enable adaptation process experts without knowledge of process modelling to describe adaptation processes by an easy to understand process description formalism and to create prototypic wizards that reflect the processes as they are performed by the process experts.

To evaluate if process experts are able to use the pattern based process description formalism and the wizard generation tool independent from their knowledge of common programming and modelling formalisms, we performed a user test with 32 users. Half of the persons had knowledge of process modelling and of IT related issues like programming. Half of the users did not have this kind of knowledge.

All persons were asked to describe the same process with the help of PIT and to generate a prototypic wizard based on their process descriptions by using WGT. It turned out that all users made very good process descriptions with only very few errors. Users without modelling and IT knowledge made some more errors than users with this kind of knowledge. (In average the difference was one error.) All users were able to generate a prototype that guides through the described process. Regarding the ability to generate the wizard there was no difference between the two user groups.

In addition all users gave a very positive feedback regarding the understandability and the manageability of both tools. Thus we assume that all users were able to use the pattern based process description formalism and the wizard generation tool in the intended way. We also got some feedback how to increase the usefulness of the tools and the resulting wizard. We plan to analyse this feedback and to take it as a basis for further improvements.

10 Unresolved Issues and Future Work

There are several unresolved issues concerning PIT and WGT. For the future we plan to work on these issues. In this section we give an overview on the unresolved issues.

PIT allows entering relationships between processes. These are taken into account when generating the wizard: If one process has been finished in the wizard, a hint to related processes is given. PIT also allows specifying forces and consequences. But at the moment these are not taken into account in the generated wizard. But we are thinking of how to realize this. One possibility would be to use the forces as well as the consequences to find out if a process is useful in a specific situation:

If users are not sure which process they have to perform, they can search the problem statements. This helps to limit the number of possible processes. In addition users should be able to browse through the consequences and forces. This also reduces the number of possible processes. If a process has been performed the consequences can again be shown to users to allow them, to decide if a second process is necessary to eliminate negative consequences.

At the moment the wizard generation tool WGT is a first prototype. The layout of the wizard has to be overdone by taking into account common HCI guidelines. Nevertheless the wizard as it is by now already offers a good starting point for further development and a valuable basis for communication between process experts and software developers, as the evaluation of the adaptation tool, which is based on such a wizard, has shown.

Additionally to serving a basis for communication, the prototype wizard also can be used as a starting point for further development. Therefore WGT adds comments to the automatically generated source code of the prototype. Those comments offer hints to a developer, where it is possible to change the source code of the prototype in order to add additional functionalities. But it might occur that a process expert decides to change the process description after a while and to create a new prototype wizard based on the changed description. The new wizard then does not contain the enhancements added by the developer before. At the moment this means that the developer again has to add the additional functionalities. For the future it is planned to develop a concept that allows to merge both versions.

We created the approach presented in this paper to support adaptation processes. But we believe that it also can be used for other kinds of processes. Thus we tested for several other kinds of processes, if it is possible to describe them with PIT.

We found that PIT also can be used to enter already existing patterns (that might have to be adapted to the pattern notation used here) as well as new patterns. We have successfully tested this with some of the security patterns presented in [16]. In addition we created new descriptions for the process of hiring new employees and for the process of booking journeys. For all these kinds of processes it turned out that it was possible to describe them with PIT and to create prototype wizards with WGT.

But it seems that there are other processes that cannot be described with PIT, e.g. processes with a focus on data flow. Thus, for the future it would be desirable to analyse which kinds of processes can be described with PIT and for which kinds of processes the approach presented here does not work.

When we were creating the E-Learning material adaptation wizard (compare section 8), we entered patterns as descriptions for the process and additional descriptions (not patterns) for the needed process steps and atomic operations. But as PIT only reassures that all needed information to perform a certain process is provided in the predefined structure, it has to be taken into account that the process descriptions provided by process experts might not meet common pattern criteria like being generic or having at least three known uses. It might occur that the process experts only create process descriptions that are written down in a pattern based notation formalism. But these descriptions also contain valuable knowledge and offer a good basis for the wizard creation. As the process expert is enabled to generate the wizard he or she can change the process description as many times as needed to achieve a wizard that really meets the experiences of the process experts.

Acknowledgments

The authors thank all persons, who supported this work by offering fruitful discussion or by encouraging us to proceed with our work. This paper is based on a paper presented at EuroPLoP 2008 [22]. Therefore we especially thank Michael Weiss, who provided a huge amount of helpful comments during shepherding for EuroPLoP 2008. Although many thanks go to our writer's workshop group at EuroPLoP 2008 for a very good discussion and so many useful hints.

The authors also thank SAP AG - SAP Research CEC Darmstadt, as well as KOM Multimedia Communications Lab at the Technical University of Darmstadt for supporting this work.

Part of this work is supported by the German Federal Ministry of Economics and Technology in the context of the project Content Sharing. This project was funded under the promotional reference "01 MD 404". The authors take the responsibility for the contents.

References

1. Business Process Modeling Notation Specification. Final Adopted Specification (2006), <http://www.omg.org/docs/dtc/06-02-01.pdf>
2. DIN En ISO 9241: Ergonomics of Human System Interaction. Part 11: Guidance on usability and part 110: Dialogue principles
3. Dreyfus, S.E., Dreyfus, H.L.: A five-stage model of the mental activities involved in directed skill acquisition. Unpublished report supported by the Air Force Office of Scientific Research (AFSC), USAF (Contract F49620-79-C-0063), University of California at Berkley (1980)
4. Eckstein, R.: Java SE Application Design With MVC (2007), <http://java.sun.com/developer/technicalArticles/javase/mvc/index.html>
5. Folmer, E., van Welie, M., Bosch, J.: Bridging patterns: An approach to bridge gaps between SE and HCI. *Information and Software Technology* 48(2) (2006)
6. Fowler, M.: *Analysis Patterns: Reusable Object Models*. Addison-Wesley, Reading (1996)
7. Hahsler, M.: *Analyse Patterns im Softwareentwicklungsprozeß*. PhD thesis at WU Wien (2001)
8. Meyer, M., Hildebrandt, T., Rensing, C., Steinmetz, R.: Requirements and an Architecture for a Multimedia Content Re-purposing Framework. In: Nejdil, W., Tochtermann, K. (eds.) *EC-TEL 2006. LNCS*, vol. 4227, pp. 500–505. Springer, Heidelberg (2006)
9. Miller, G.A.: The Magical Number Seven, Plus or Minus Two: Some Limits on Our Capacity for Processing Information. *The Psychological Review* 63(2), 81–97 (1956)
10. Müller, S.: *Modellbasierte IT-Unterstützung von wissensintensiven Prozessen - Dargestellt am Beispiel medizinischer Forschungsprozesse*. PhD thesis at the Universität Erlangen - Nürnberg (2007)
11. PLML, XML DTD available under, <http://www.hcipatterns.org/PLML+1.0.html>
12. Robertson, S.: Requirements trawling: techniques for discovering requirements. *International Journal of Human-Computer Studies* 55(4) (October 2001)

13. Royce, W.W.: Managing the Development of Large Software Systems. In: Proceedings of the 9th International Conference on Software Engineering (1987)
14. Scheer, A.-W.: CIOs entwickeln sich zu Chief Process Officers. In: CIO (2007), http://www.cio.de/karriere/cios_im_portrait/810380/index4.html
15. Shneiderman, B., Plaisant, C.: Designing the user interface. Addison Wesley, Reading (2004)
16. Schumacher, M., Fernandez, E., Hybertson, D., Buschmann, F., Sommerlad, P.: Security Patterns - Integrating Security and Systems Engineering. John Wiley & Sons, Chichester (2005)
17. Siau, K., Ericksson, J., Lee, L.: Theoretical versus practical complexity: The case of UML. Journal of Database Management 16(3) (2005)
18. Zimmermann, B.: Pattern-basierte Prozessbeschreibung und -unterstützung. Ein Werkzeug zur Unterstützung von Prozessen zur Anpassung von E-Learning-Materialien. PhD thesis at the Technische Universität Darmstadt, Germany (2008)
19. Zimmermann, B., Bergsträßer, S., Rensing, C., Steinmetz, R.: A Requirements Analysis of Adaptations of Re-Usable (E-Learning) Content. In: Proceedings of World Conference on Educational Multimedia, Hypermedia and Telecommunications (2006)
20. Zimmermann, B., Rensing, C., Steinmetz, R.: Patterns for Tailoring E-Learning Materials to Make them Suited for Changed Requirement. Published in the Proceedings of Viking-PLoP 2006 (2006)
21. Zimmermann, B., Rensing, C., Steinmetz, R.: Patterns towards Making Web Material Accessible. Published in the Proceedings of EuroPLoP 2007 (2007)
22. Zimmermann, B., Rensing, C., Steinmetz, R.: Experiences in Using Patterns to Support Process Experts in Wizard Creation. Published in the Proceedings of EuroPLoP 2008 (2008)

Appendix

Patterns Mentioned in This Paper

This paper mentions several patterns that already have been published. Here a short overview of those patterns is listed in order to get an idea what the patterns are about. The patterns can be found in [20, 21].

- *Design adaptation*: This adaptation occurs for example if material created for one company is reused in another company. Then often the layout of the material has to be changed in order to fit to the corporate design of the new company. The pattern helps to adapt the design.
- *Printability*: Often web content is optimized for working with it on a computer screen. But many readers want to print out at least parts of the material. Then a print optimized version has to be created. The solution of the pattern describes how a separate print version can be created.
- *Translation*: If a part of the target group does not understand the language in which the material is provided, the material has to be translated to one or more other languages. This pattern describes how to perform a translation and what has to be taken into account before, during, and after translating the text.
- *Correct Arrangement of Elements*: There are several adaptations where it is needed to change the arrangement of the elements of your material in order to make the arrangement suited for the new requirements. This pattern describes how you can re-arrange the elements in a way that they comply with the requirements.
- *Correct Length of Text Blocks*: If you have to exchange text parts with other text parts it often occurs that the length of the new part is different than the one of the original text part. Then you have to change the size in a way that it fits to the requirements. This pattern presents two possibilities how you can correct the length of a text block: You can shorten or lengthen its content.
- *Attached Transcriptions*: When creating an additional version suited for blind persons it might occur that an attached text transcript for pure audio information has to be provided.
- *Sign Language Videos*: When creating an additional version suited for blind persons it might occur that videos enhanced by sign language to “translate” the audio information of the video have to be provided.

Input Form of PIT

The process description input tool PIT supports adaptation process experts in creating process description of adaptation processes. It has been described in section 6. Figure 10 shows the main input form of PIT.

Name *
Please enter the name of the process you are describing. ⓘ

Adaptation of (corporate) design

Intent
What is the main purpose of the process? ⓘ

Adapt the design of materials to match incoming requirements.


Context
In which context does the process help? ⓘ

As for many kinds of content the design is very important for E-Learning content. Therefore you should always take care of a design matching all requirements. If there is a change in design requirements it is necessary to adapt the course to the new requirements. There are several reasons for a change in the requirements, e.g. if a course was originally designed for one company and should be re-used in another company or if the style guide of a company changes.

Problem *
Which problem is solved by the process? ⓘ

You want to adapt your course to changed requirements concerning the (corporate) design. What do you have to do in order to achieve a design that fits the new requirements?


Example
Please enter an example where the process can be applied. ⓘ

Image for example: design.png 



Explanation for example:

The example shows a course: First the original version, and then after adapting it to a changed corporate design.

Forces *
Which external forces have an influence on the process? ⓘ

enter > An influence 

E-Learning courses are normally designed by following a style guide. If this style guide...
The design normally consists of many items, like logos, background images and colors...
If a style template is used you can change this template (e.g. CSS for HTML or slide ...
If no style template is used you have to change the design by changing element by ...

Solution *
Please describe how to perform the process. ⓘ

A design adaptation starts by replacing graphical elements that do not meet the requirements (e.g. logos). Therefore you decide for each graphical element if it is conform to your requirements. If it is not you replace it by a conform element. If the new graphical elements have a different size compared to the original ones it might be necessary to resize them. Depending on the file format of the materials the way how you replace the elements is different. E.g. in HTML you replace the target of the element's tag, whereas in DOC you delete the old

Steps needed to perform the solution: *

Caution: The steps are performed in the order given below! ⓘ

Name	Execution	type
Replacing graphical elements	is optional	
Deleting graphical elements	is optional	
Add additional graphical elements	is optional	
Performing changes according to style gu...	is optional	
Changing company naming	is optional	



 

Fig. 10. Part of PIT's input form

XML Files Generated by PIT

PIT stores the process description given by the process experts in XML format (compare section 5). The following listing shows the DTD of the XML files containing the process information.

```
<!ELEMENT pattern (intent?, context?, problem,
example_illustration?, example_explanation?, forces,
solution, process_steps, known_uses*, consequences,
related-patterns>
<!ATTLIST pattern patternID ID #REQUIRED
confidence CDATA #IMPLIED
name CDATA #REQUIRED >
<!ELEMENT intent (#PCDATA)>
<!ELEMENT context (#PCDATA)>
<!ELEMENT problem (#PCDATA)>
<!ELEMENT example_illustration (#PCDATA)>
<!ELEMENT example_explanation (#PCDATA)>
<!ELEMENT forces (force*)>
<!ELEMENT force EMPTY>
<!ATTLIST force name CDATA #REQUIRED>
<!ELEMENT solution (#PCDATA)>
<!ELEMENT Process_steps (Process_step+)>
<!ELEMENT Process_step EMPTY>
<!ATTLIST Process_step
name Name #REQUIRED
mandatory (true | false) "true">
<!ELEMENT known_uses (#PCDATA)>
<!ELEMENT consequences
(positive_consequence+, negative_consequence*)>
<!ELEMENT positive_consequence EMPTY>
<!ATTLIST positive_consequence name CDATA #REQUIRED>
<!ELEMENT negative_consequence EMPTY>
<!ATTLIST negative_consequence name CDATA #REQUIRED>
<!ELEMENT related_patterns (related_pattern*)>
<!ELEMENT Related_patterns (Related_pattern*)>
<!ELEMENT Related_pattern EMPTY>
<!ATTLIST Related_pattern
name CDATA #REQUIRED
patternID ID #REQUIRED
type CDATA #REQUIRED
>
```

Listing 1. Pattern file DTD

The information about the process flow is stored as a process graph. The following listing shows a part of such a process graph stored in XML (compare section 6.1). You can see a process identified via its ID. All process steps needed to perform the process are listed in the “requires” section of the process. For each process step it is noted if the step has to be performed (mandatory="true") or not (mandatory="false").

The last process step in the example is only performed if at least one of the steps before has been performed. Therefore all process steps, which can be performed before this step, are listed in the “precondition” section of the last process step. For the first process step you can see all atomic operations needed to perform this step. Again it is written down for each operation if the execution is mandatory. In addition you can see the three kinds of atomic operations (query, decision, and execution). The original file also contains a section defining the needed atomic operations. This section is not shown in the listing below.

```
<process id="process_pattern$56667" process-
pattern="true">
  <requires fragmentRef="process_step$22357234"
    mandatory="false"/>
  <requires fragmentRef="process_step$25517184"
    mandatory="false"/>
  <requires fragmentRef="process_step$28757034"
    mandatory="false"/>
  <requires fragmentRef="process_step$36740146"
    mandatory="false"/>
  <requires fragmentRef="process_step$43532108"
    mandatory="false"/>
  <requires fragmentRef="process_step$50025522"
    mandatory="true">
    <precondition fragmentRef="process_step$22357234"/>
    <precondition fragmentRef="process_step$25517184"/>
    <precondition fragmentRef="process_step$28757034"/>
    <precondition fragmentRef="process_step$36740146"/>
    <precondition fragmentRef="process_step$43532108"/>
  </requires>
</process>
<process-step id="process_step$22357234">
  <requires functionRef="query$28693719"
    mandatory="true"/>
  <requires functionRef="decision$26294026"
    mandatory="true"/>
  <requires functionRef="decision$24376617"
    mandatory="false"/>
  <requires functionRef="query$23537464"
    mandatory="false"/>
  <requires functionRef="decision$32687500"
    mandatory="false"/>
  <requires functionRef="query$33442589"
    mandatory="false"/>
  <requires functionRef="execution$5472454"
    mandatory="false"/>
  <requires functionRef=" execution $51555041"
    mandatory="false"/>
</process-fragment>
```

Listing 2. Part of a process graph file